



Ridomil Gold®

MZ

Description:

RIDOMIL Gold® is a leading fungicide for control of important diseases caused by the Oomycete fungi. It is a highly systemic fungicide, providing excellent control of oomycetes (*Phytophthora*, *Plasmopara*, *Pythium*, *Peronospora* etc.) on seeds, in soil or on plant foliage.

Product Features:

- Ready mix combination of two active ingredients
- It's systemic and contact action provides excellent disease control from within the plant as well as externally.
- Active anti-resistance management.
- Outstanding preventative and curative activity combined with excellent rainfastness.

Mode of Action:

Ridomil Gold contains two active ingredients, one with systemic action and one with protective action, therefore providing both internal and external protections.

Ridomil Gold penetrates rapidly into the plant through the leaves and stems and is distributed upwards with the flow of sap. This way, new growth is protected as well. It also produces a protective film over the plant surfaces and inhibits germination of the spores. It acts as a contact fungicide on the surface of the plant to control leaf and tuber blight as well as leaf spot disease.

Direction for Use

Applied preventively it provides excellent disease control.

Dosage

Crops	Diseases	Dosage per arpent (200 Litres of water)	Pre-Harvest Intervals
Brassicas	Downy Mildew	750 g	7 days
Chilli	Stem, Collar, Fruit Rot	750 g	3 days
Cucurbits	Downy Mildew	750 g	3 days
	Stem, Collar, Fruit Rot	750 g + 500g Penncozeb 75 WG	

Chinese Cabbage	Downy Mildew	750 g	7 days
Tomatoes	Late Blight	780g + 625g Penncozeb 75 DG	3 days
Potatoes	Late Blight	780g + 625g Penncozeb 75 DG	14 days
Onions	Damping Off	750 g	7 days
Pineapples	Heart Rot	625g + 500g Penncozeb 75 WG	21 days
Citrus	Foot Rot and Die Back		3 days
Melons	Downy Mildew	750g	7 days
Roses	Downy Mildew	625g + 500g Penncozeb 75 WG	Not Applicable
Anthurium	Blight	625g + 500g Penncozeb 75 WG	Not Applicable

Intervals between applications: 7 to 10 days depending on disease infestation

Re-entry period: When spray deposits have dried

Rainfastness: 6 hours